

Oudtshoorn Courant


Sedert 1879

R4.00
incl

VRYPAG 27 AUGUSTUS, 2021

  www.oudtshoorncourant.com

Tel 044 272 8918 / 9
Na-ure: 083 467 1522



Cape EAPrac PUBLIC PARTICIPATION PROCESS BYEVANGER DAM

Call for Interested & Affected Parties for the construction of a dam on
Portion 3 of 36 Bufelsfontein & Portion 66 of 42 Voorbaat, Ladismith

Notice is hereby given of a Public Participation Process in terms of the National Environmental Management Act (NEMA, Act No 107 of 1998 as amended) & the National Water Act (NWA, Act 36 of 1998)

An Application for a **24G Rectification Process** and a **Water Use License Application (WULA)** has been submitted to the provincial Department of Environmental Affairs and Development Planning (DEA&DP) and the Breede Gouritz Catchment Management Agency (BGCMA) respectively as the competent authorities for decision making. The applicant replaced an existing instream dam that had failed with a new instream dam on Portion 3 of 36 Buffelsfontein & Portion 66 of 42 Voorbaat, outside of Ladismith.

DEA&DP Reference Number: 14/2/4/1/D3/8/0027/19

WULA Reference Number: WU19163

Location: Byevanger Dam on the farms Vanzylsdamme & Lofpoort, outside of Ladismith.

Proponent: Mr Fanie Nel on behalf of JG Nel Famlietruist

Environmental Consultant: Cape EAPrac

Exemptions: No Exemptions to the EIA regulations have been applied for.

Documents Available: A draft 24G Impact Report with specialist studies will be available on request, to registered I&APs and on the Cape EAPrac website (www.cape-eaprac.co.za) from Friday 27 August 2021 for a period of 30 days.

The procedures for a **24G Rectification Process** in terms of the 2014 Regulations (R327) for EIA are being followed for this application. The following listed activities are applicable:

R327 Activity: 12 & 27

WULA: A Water Use License Application is being applied for the construction and storage of water in the dam. These activities trigger the following water uses in terms of the National Water Act (NWA) 1998 (Act 36 of 1998 as amended):

Section 21 (b) storing water;

Section 21 (c) Impeding or diverting the flow of water in a watercourse; &

Section 21 (i) Altering the bed, banks, course or characteristics of a watercourse.

Please note that the WULA requires a **60 day comment period**.

Date of Advertisement: 26 August 2021 (Oudtshoorn Courant)

In order to be **registered** as an **Interested and Affected Party (I&AP)**, individuals are requested to respond to this notice by submitting their complete contact details and any comment to **Cape EAPrac** in writing (to address below) on or before **Tuesday 26 October 2021**. [Correspondence throughout the remainder of the environmental process will only be distributed to registered I&APs.] The documentation associated with the assessment of the development can be viewed on the **Cape EAPrac** website at www.cape-eaprac.co.za or on request.

Cape EAPrac (Attention: Melissa Mackay)

P O Box 2070 George 6530

Telephone: 044 874 0365 Facsimile: 044 874 0432

Email: mel@cape-eaprac.co.za

**A 60 DAY COMMENT PERIOD HAS BEEN PROVIDED. ALL COMMENTS MUST BE SUBMITTED BY
TUESDAY 26 OCTOBER 2021**

Site Notices: Byevanger Dam





Site Notice 1 is located at the entrance to the property and the dam off the DR1710.



Byevanger Dam



Site Notice 2 is located at the entrance to the dam. Access for both Vanzylsdamme and Lofpoort farms is at this point.